

2019-yil

2018 - 2019 – O'QUV YILIDA O'RTA TA'LIM  
MAKTABLARINING

11 - SINIF O'QUVCHILARI UCHUN MATEMATIKA  
FANIDAN MUSTAQIL SHUG'ULLANISH UCHUN

**IMTIHON JAVOBLARI**

**MATEMATIKA**

Telegram kanal: @uzimtihon

Murojaat uchun: uzimtihon\_admin

$$\text{Eslatma: } \mathbf{a/b = \frac{a}{b}}$$

$$\mathbf{a^x = a^x}$$

1-bilet

**1.Tenglamani yeching**  $\sin x = \cos x$

$$\frac{\sin x}{\sin x} = \frac{\cos x}{\sin x} \rightarrow \mathbf{1 = \text{ctg} x} \rightarrow \mathbf{x = \frac{\pi}{4} + \pi k \quad k \in Z}$$

**2.**  $\log_2(3x + 1) > \log_2(x - 1)$

$$\begin{cases} 3x + 1 > 0 \\ x - 1 > 0 \end{cases} \rightarrow \begin{cases} 3x > -1 \\ x > 1 \end{cases} \rightarrow \begin{cases} x > \frac{-1}{3} \\ x > 1 \end{cases}$$

$$\mathbf{3x+1 > x-1}$$

$$\mathbf{2x > -2}$$

$$\mathbf{x > -1} \quad \text{Javob: } \mathbf{x > 1}$$

**3**  $\mathbf{S(t) = 30t - 16t^2} \quad \mathbf{v = 30 \text{ m/h}}$

$$\mathbf{S'(t) = V(t)} \quad \mathbf{S'(t) = 30 - 32t}$$

$$\mathbf{V(t) = 0} \quad \mathbf{30 - 32t = 0} \rightarrow \mathbf{t = 15/16 \text{ s}}$$

$$\mathbf{S(15/16) = 30 * 15/16 - 16 * \frac{15^2}{16} = 225/16 \text{ m}}$$

**4**  $\mathbf{a = 13 \text{ sm} \quad b = 14 \text{ sm} \quad c = 15 \text{ sm} \quad h = 14 \text{ sm}}$

$$\mathbf{r = \frac{2S}{a+b+c}} \quad \mathbf{p = \frac{13+14+15}{2} = 21}$$

$$\mathbf{S = \sqrt{p(p-a)(p-b)(p-c)}} = \sqrt{21(21-13)(21-14)(21-15)} = \mathbf{84}$$

$$\mathbf{r = \frac{2 * 84}{13+14+15} = 4}$$

$$\mathbf{h^2 = r^2 + H^2} \rightarrow \mathbf{H = 6\sqrt{5}}$$

**Javob; H = 6√5**

5  $S=9 \text{ sm}^2$

$9=\frac{1}{2}2R^2R \quad R=3 \quad V=\frac{4}{3}\pi R^3=\frac{4}{3}\pi 3^3=36\pi \quad \text{Javob; } V=36$

2 Bilet

1  $\log_2(x-5) + \log_2(x+2) = 3$

$\log_2(x-5)(x+2) = 3$

$x^2 - 3x - 10 = 8 \rightarrow x = 6 \quad x = -3$

Javob;  $x=6$

2  $\sin 2x \geq \frac{1}{2}$

$\frac{\pi}{12} + 2\pi k \leq x \leq \frac{5\pi}{12} + 2\pi k$

3  $S(t) = 40t - 16t^2 \quad v = 40 \text{ m/s}$

$S'(t) = V(t) \quad S''(t) = 40 - 32t$

$V(t) = 0 \quad 40 - 32t = 0 \rightarrow t = \frac{5}{4} \text{ s}$


$S(\frac{5}{4}) = 40 \cdot \frac{5}{4} - 16 \cdot \frac{5^2}{4} = 25 \text{ m}$

4  $\alpha = 60^\circ \quad \beta = 45^\circ$

$\sin 30^\circ = \frac{x}{a} \quad \sin 45^\circ = \frac{x}{b}$

$x = \sin 30^\circ \cdot a \quad x = \sin 45^\circ \cdot b$

$\frac{1}{2} \cdot a = \frac{\sqrt{2}}{2} \cdot b \quad a = \sqrt{2} \cdot b$



5  $R=13 \quad h=10 \quad x=?$

$x = \sqrt{R^2 - h^2} \quad x = \sqrt{13^2 - 10^2} = \sqrt{69}$

3 Bilet

1  $12^x + 27^x = 2 \cdot 8^x$

$$\frac{12^x}{12^x} + \frac{27^x}{12^x} = \frac{2 \cdot 8^x}{12^x}$$

$$1 + \frac{3^{2x}}{2} = 2 \cdot \frac{2^x}{3} \quad \frac{2^x}{3} = a$$

$$1 + \frac{1}{a^2} = 2 \cdot a \rightarrow a=1 \quad x=0$$

$$2 \quad \cos 3x \geq \frac{1}{2}$$

$$\frac{\pi}{3} \leq 3x \leq \frac{2\pi}{3} \rightarrow \frac{\pi}{9} \leq x \leq \frac{2\pi}{9}$$

$$3 \quad S(t) = 24t - 16t^2 \quad v = 24 \text{ m/h}$$

$$S'(t) = V(t) \quad S'(t) = 24 - 32t \rightarrow t = \frac{3}{4} \text{ s}$$

$$V(t) = 0 \quad s\left(\frac{3}{4}\right) = 24 \cdot \frac{3}{4} - 16 \cdot \left(\frac{3}{4}\right)^2 = 9 \text{ m}$$

$$4 \quad a=13 \quad d=10 \quad h=?$$

$$h^2 = a^2 - \frac{d^2}{2} \quad h = \sqrt{13^2 - \frac{10^2}{2}} = 12 \quad h=12$$

$$5 \quad s_1 = 100 \text{ sm}^2 \quad s_2 = 40 \text{ sm}^2$$

$$100 = \pi R^2$$

$$40 = 2R \cdot h \rightarrow R = \frac{10}{\sqrt{\pi}} \quad h = 2 \cdot \sqrt{\pi}$$

$$V = \pi R^2 h = \pi \cdot \frac{10}{\sqrt{\pi}} \cdot \frac{10}{\sqrt{\pi}} \cdot 2 \cdot \sqrt{\pi} = 200\sqrt{\pi}$$

4 bilet

$$1. \quad \tan^2 x + 3 \cdot \tan x - 2 \cdot \sqrt{3} = 0 \quad \tan x = a$$

$$a^2 + 3a - 2\sqrt{3} = 0 \rightarrow a = \frac{-3 - \sqrt{9 + 8\sqrt{3}}}{2}; a = \frac{-3 + \sqrt{9 + 8\sqrt{3}}}{2}$$

$$\tan x = \frac{-3 - \sqrt{9 + 8\sqrt{3}}}{2} \rightarrow$$

$$\tan x = \frac{-3 + \sqrt{9 + 8\sqrt{3}}}{2} \rightarrow$$

$$2 \quad \log_{0.5}(2x + 3) \leq \log_{0.5}(4x - 1)$$

$$2x + 3 \geq 4x - 1 \rightarrow 4 \geq 2x \quad 2 \geq x$$

$$\begin{cases} 2x + 3 > 0 \\ 4x - 1 > 0 \end{cases} \rightarrow \begin{cases} 2x > -3 \\ 4x > 1 \end{cases} \rightarrow \begin{cases} x > \frac{-3}{2} \\ x > \frac{1}{4} \end{cases} \quad \text{Javob ; } \left(\frac{1}{4} \mid 2\right)$$

3  $R=41$   $h=9$   $x=?$

$$x = \sqrt{R^2 - h^2} \quad x = \sqrt{41^2 - 9^2} = \sqrt{1600} = 40$$

Javob ;  $x=40$

4.  $x \in (1|3)$  ;  $f(x) = \frac{1}{2}x^2 - \frac{1}{3}x^3$

$$f'(x) = x - x^2 \rightarrow x=0 ; x=1$$

$$f(0)=0 \quad f(1)=\frac{1}{6} \quad f(3)=-\frac{9}{2}$$

Javob ;  $f(1) = \frac{1}{6}$

5  $S_1=60\pi$   $S_2=96\pi$   $S_{\text{asos}}=36\pi$   $R=6$

$$60\pi = \pi R L \quad L=10 \quad L^2 = R^2 + H^2 \quad H = \sqrt{L^2 - R^2} = 8$$

$$V = \frac{1}{3} \pi R^2 H = \frac{1}{3} \pi * 36 * 8 = 96\pi$$

5 Bilet

1  $4 \sin^2 x + \sin x - 1 = 0$   $\sin x = a$

$$4a^2 + a - 1 = 0 \quad a = \frac{-1 - \sqrt{17}}{8} ; \frac{-1 + \sqrt{17}}{8}$$

$$\sin x = \frac{-1 - \sqrt{17}}{8} ; \sin x = \frac{-1 + \sqrt{17}}{8} ;$$

2  $4^x < 2^{x+1} + 3$   $2^x = a$

$$a^2 < 2a + 3 \rightarrow (a-3)(a+1) < 0$$



$$-1 < 2^x < 3 \quad x = (\infty; \log_2 3)$$

3  $S(t) = 26t - 16t^2$   $v = 26 \text{ m/h}$


$$S'(t) = V(t) \quad S'(t) = 26 - 32t \rightarrow t = \frac{13}{16} \text{ s}$$

$$V(t)=0 \quad s\left(\frac{13}{16}\right) = 24 \cdot \frac{13}{16} - 16 \cdot \frac{13}{16}^2 = 8.9375 \text{ m}$$

4 a=13 d=10 h=?

$$h^2 = a^2 - \frac{d^2}{2} \quad h = \sqrt{13^2 - \frac{10^2}{2}} = 12 \quad h=12$$

5



$$\tan \alpha = \frac{H}{R-r} \quad H = \tan \alpha \cdot (R-r)$$

$$V = \frac{H}{3} \pi (R^2 + r \cdot R + r^2) = \frac{\tan \alpha \cdot (R-r)}{3} \cdot \pi (R^2 + r \cdot R + r^2)$$

6 Bilet

1  $\log_2 x - 2 \cdot \log_x 2 = -1 \quad \log_2 x = a$

$$a - 2 \cdot \frac{1}{a} = -1 \quad a^2 + a - 2 = 0 \quad a = -2 ; a = 1$$

$$\log_2 x = -2 \quad x = \frac{1}{4} ; \log_2 x = 1 \quad x = 2$$

2  $\sin 3x \geq \frac{\sqrt{3}}{2}$

$$\frac{\pi}{3} \leq 3x \leq \frac{2\pi}{3} \rightarrow \frac{\pi}{9} \leq x \leq \frac{2\pi}{9}$$

3 R=13 h=12 x=?

$$x = \sqrt{R^2 - h^2} \quad x = \sqrt{13^2 - 12^2} = \sqrt{25} = 5$$

Javob ; x=5

4.  $\int \frac{8}{(5z+4)^2} dz = \frac{24}{5 \cdot (5z+4)^3}$

$$\int \frac{-3}{\sin^2(2x-3)} + \frac{1}{3} = \frac{-3}{2} \cdot \text{ctg}(2x-3) + \frac{1}{3} \cdot x$$

5 a=9 b=12 l=12.5 V=?

$$h^2 = a^2 - \frac{d^2}{2} \quad h = \sqrt{12.5^2 - \frac{15^2}{2}} = 12 \quad h=12$$

$$V = \frac{1}{3} a \cdot b \cdot h = \frac{1}{3} \cdot 9 \cdot 12 \cdot 10 = 360$$

## 7 Bilet

1  $0.5 \cdot \log(x^2 - 4x - 1) = \log(8x) - \log(4x)$

$$x^2 - 4x - 1 = 4 \quad x^2 - 4x - 5 = 0 \quad x = 5; x = -1$$

2  $\cos 3x \leq -1$

$$X \left( -\frac{\pi}{3} + \frac{2\pi k}{3}; \frac{\pi}{3} + \frac{2\pi k}{3} \right)$$

3  $p = 54 \text{ sm} \quad 3 \cdot a = p \quad a = 18 \quad P = ?$


$$2x = y \quad \operatorname{tg} 30^\circ = \frac{9-x}{x} \quad x = \frac{27}{2\sqrt{3}+3} \quad P = 4x = 4 \cdot \frac{27}{2\sqrt{3}+3}$$

4  $y = 2 \cdot x^4 - x \quad y' = 8x^3 - 1 \quad x = 1/2$

5  $h = 5 \text{ sm} \quad H = 4 \text{ sm} \quad V = 36 \cdot \pi$

$$V = 36 \cdot \pi = \pi R^2 (h + H) \quad R = 2/3$$

$$S = 2 \cdot \pi \cdot R \cdot (H + h) = 2 \cdot \pi \cdot 2/3 \cdot 9 = 12 \cdot \pi$$



## 8 Bilet

1.  $\tan x + \sqrt{3} \cdot \operatorname{ctg} x = 2 \cdot \sqrt{3} \quad \tan x = a$

$$a + \sqrt{3} \cdot 1/a = 2 \cdot \sqrt{3} \quad a \neq 0 \rightarrow a = \frac{2 \cdot \sqrt{3} - \sqrt{12 - 4 \cdot \sqrt{3}}}{2}; \quad a = \frac{2 \cdot \sqrt{3} + \sqrt{12 - 4 \cdot \sqrt{3}}}{2}$$

$$\tan x = \rightarrow \frac{2 \cdot \sqrt{3} - \sqrt{12 - 4 \cdot \sqrt{3}}}{2}$$

$$\tan x = \rightarrow \frac{2 \cdot \sqrt{3} + \sqrt{12 - 4 \cdot \sqrt{3}}}{2}$$

2.  $\log_8(x^2 - 4x + 3) < 1$

$$x^2 - 4x + 3 < 8 \quad x^2 - 4x - 5 < 0 \quad (x-5)(x+1) < 0$$

$$x \in (-1; 5)$$

3.  $L = \sqrt{3} \quad \alpha = 60^\circ \quad a = 3 \cdot \sqrt{3}$

$$R = a / \sqrt{3} = 3 \cdot \sqrt{3} / \sqrt{3} \quad R = 3$$

4  $f(x) = x^{\frac{2}{3}} \cdot (10 - x) \quad F'(x) = 2/3 \cdot x^{-\frac{1}{3}} \cdot (10 - x) + x^{\frac{2}{3}} \cdot (-1)$

$$F'(x) = 0 \quad x = 0$$

5  $s = \frac{2}{\sqrt{\pi}} \quad \frac{2}{\sqrt{\pi}} = 4 \cdot R^2 \quad \frac{1}{2\sqrt{\pi}} = R^2$

$$V = \pi R^2 2 * R = \pi * \frac{1}{2\sqrt{\pi}} * 2 * \sqrt{\frac{1}{2\sqrt{\pi}}} = \sqrt{\frac{1}{2\sqrt{\pi}}} * \pi$$

### 9 Bilet

1.  $2 \cos^2 x + \cos x - 1 = 0 \quad \cos x = a$

$2a^2 + a - 1 = 0 \quad a = 1/2; a = -1 \quad \cos x = -1 \quad x = \pi + \pi k$

$\cos x = 1/2 \quad x = \frac{\pi}{3} + 2 * \pi * k$

2.  $9^x < 8 * 3^x + 9 \quad 3^x = a$


$a^2 < 8a + 9 \quad (a-9)(a+1) < 0 \quad -1 < 3^x < 9$

Javob ;  $x \in (-\infty; 2)$

3  $a = 10; b = 4 \quad f = 4$

$S_1 = 3/2 * (a+b) * f = 3/2 * (10+4) * 4 = 84$

$Stola = 3/2 * (a+b) * f + a^2 * \sqrt{3}/4 + b^2 * \sqrt{3}/4 = 84 + \sqrt{3}/4 * (100 + 16) = 84 + \sqrt{3}/4 * 116 = 84 + \sqrt{3} * 29$



4.  $f(x) = \int \sqrt[5]{(4x-5)^3} dx = 5/32 * (4x-5)^{8/5}$

5  $S = \frac{6}{\sqrt{\pi}} \quad \frac{6}{\sqrt{\pi}} = (2R)^2 * \sqrt{3}/4 \quad R^2 = \frac{2}{\sqrt{\pi}} * \sqrt{3}$

$V = \frac{1}{3} \pi R^2 H = \frac{1}{3} \pi * \frac{2}{\sqrt{\pi}} * \sqrt{3} * \sqrt{3} * \frac{2}{\sqrt{\pi}} * \sqrt{3}/4 = 3 * \sqrt{3}$

### 10 Bilet

1  $\lg(x-1) = \lg(x+1)$  yechim yo'q

2  $\cos 3x > 1$   
 $3x > 2k\pi \quad x > 2k\pi/3$

3  $h = 2 \quad a = 3 \quad b = 5 \quad d = ?$   
 $d = \sqrt{a^2 + b^2} = \sqrt{3^2 + 5^2} = \sqrt{34}$

4  $\int \sqrt{(7x-1)^3} = 2/35 * (7x-1)^{5/2}$

5  $S = 12 \quad \alpha = 60^\circ$

$12 = 1/2 * 2r * h \quad r * h = 12 \quad \tan 60^\circ = h/r$

$r * \tan 60^\circ * r = 12 \quad r^2 = 4 * \sqrt{3} \quad h = 12$

$V = \frac{1}{3} \pi R^2 H = \frac{1}{3} \pi * 48 * 12 = 192$

## 11 Bilet

1  $(x - 3)^{3x^2 - 10x + 3} = 1$

$$3x^2 - 10x + 3 = 0 \quad x = 3; \quad x = 1/3$$

Javob  $x = 1/3$

2.  $\cos 2x < -1/2$

$$2\pi/3 < 2x < 4\pi/3 \quad \pi/3 < x < 2\pi/3$$

3.  $a = 12 \quad \alpha = 45^\circ \quad R = H$

$$H^2 = L^2 - (R/2)^2 \quad 2R^2 = L^2 \quad H = 4\sqrt{3}$$

4  $\int \sqrt[6]{(4 - 3x)^5} = 6/33 \cdot (4 - 3x)^{11/6}$

5  $s = \frac{2}{\sqrt{\pi}} \quad \frac{2}{\sqrt{\pi}} = 4R^2 \quad \frac{1}{2\sqrt{\pi}} = R^2$

$$V = \pi R^2 \cdot 2R = \pi \cdot \frac{1}{2\sqrt{\pi}} \cdot 2 \cdot \sqrt{\frac{1}{2\sqrt{\pi}}} = \sqrt{\frac{1}{2\sqrt{\pi}}} \cdot \pi$$

## 12 Bilet

1  $\log_x 25 - 3 \log_{25} x = 1 \quad \log_{25} x = a$

$$1/a - 3a = 1 \quad 3a^2 + a - 1 = 0$$

$$a = \frac{-1 + \sqrt{17}}{6} \quad a = \frac{-1 - \sqrt{17}}{6}$$

$$\log_{25} x = \frac{-1 - \sqrt{17}}{6} \quad x = 25^{\frac{-1 - \sqrt{17}}{6}}$$

2  $\cos x + 2.5 > 0 \quad \cos x > -2.5 \quad x$  cheksiz ko'p yechim

3  $d_1 = 6 \quad d_2 = 8 \quad h = 1$

$$a = \sqrt{17} \quad b = \sqrt{10} \quad S = a \cdot b \sin \alpha / 2 = \sqrt{170}$$

4  $\int \sqrt[n]{(ax + b)} = n/a \cdot (ax + b)^{1 + 1/n}$

5  $a = 3\sqrt{3} \quad h = 5 \quad a = 2R \quad \text{Stola} = \pi \cdot r \cdot h + 2 \cdot \pi \cdot R^2 = 3\sqrt{3} \cdot \pi \cdot 5 + 2 \cdot \pi \cdot 27/4 = \pi(15\sqrt{3} + 27/2)$

## 13 Bilet

1  $2 \log_x 27 - 3 \log_{27} x = 1 \quad \log_x 27 = a$

$$2a - 3/a = 1 \quad 2a^2 - a - 3 = 0 \quad a = 1.5; \quad a = -2$$

$$\log_x 27 = -2 \quad x = 3^{-3/2};$$

$$\log_x 27 = \frac{3}{2} \quad x = 9$$

$$2 \quad \operatorname{tg} x + 1 > 0 \quad \operatorname{tg} x > -1$$

$$\left(-\frac{\pi}{4} + \pi k; \frac{\pi}{2} + \pi k\right)$$

$$3 \quad S(t) = 35t - 16t^2 \quad v = 35 \text{ m/s}$$

$$S'(t) = V(t) \quad S'(t) = 35 - 32t$$

$$V(t) = 0 \quad 35 - 32t = 0 \rightarrow t = 35/32 \text{ s}$$

$$S(35/32) = 30 \cdot 35/32 - 16 \cdot \frac{35^2}{32} = 875/64$$

$$4 \quad x \in [-3; 1] \quad f(x) = 3x^4 - 16x^3 + 2$$

$$F'(x) = 12x^3 - 48x^2 \quad x = 0 \quad x = -4 \quad f(0) = 2$$

$$F'(-3) = 1051 \quad F'(1) = -11$$

$$5 \quad \text{Stola} = \pi R H + 2\pi R^2 = 24\pi$$

$$2RH + 2R^2 = 24 \quad V = \pi R^2 H = \pi R^2 (12 - R^2) / R = R\pi (12 - R^2)$$

$$H = (12 - R^2) / R \quad V' = 0$$

14 Bilet

$$1 \quad 2 \log_4 x + 2 \log_x 4 = 5 \quad \log_4 x = a$$

$$2a + 2/a = 5 \quad a = 2; \quad a = 1/2$$

$$\log_4 x = 2 \quad x = 16; \quad \log_4 x = 1/2 \quad x = 2$$


$$2 \quad 1 - 2\sin 4x < \cos^2 4x$$

$$\sin^2 4x - 2\sin 4x < 0$$

$$\pi + \pi k < 4x < 2\pi k \quad k \in \mathbb{Z}$$

$$\frac{\pi}{4} + \frac{\pi k}{4} < x < \frac{\pi k}{2}$$

$$3. \quad a = 6 \quad b = 8 \quad \alpha = 60^\circ \quad H = ? \quad x = 32/15 \quad h = (4\sqrt{30})/5$$



$$\operatorname{tg} 30^\circ = h/H \quad H = 1/\sqrt{3} \cdot 4\sqrt{30} = \sqrt{10}/120$$

$$6/25(3-5x)$$

5  $h=8\text{sm}$   $a=6\text{sm}$   $V=?$

$$r=a/2\sqrt{3} \quad r=\sqrt{3} \quad V=\pi R^2 h = \pi * 3 * 8 = 24 \pi$$

15 Bilet

1  $\sin(2x - \pi/2) = 0$

$$2x - \pi/2 = \pi k \quad x = \frac{\pi}{4} + \pi k/2$$

2  $\cos(4x + \pi/3) > -\sqrt{3}/2$

$$\pi/6 + 2\pi k < 4x + \pi/3 < 5\pi/6 + 2\pi k$$

$$5\frac{\pi}{24} + \frac{\pi k}{2} < x < \frac{\pi}{8} + \frac{\pi k}{2}$$

3  $R=41$   $h=9$   $x=?$

$$x = \sqrt{R^2 - h^2} \quad x = \sqrt{41^2 - 9^2} = \sqrt{1600} = 40$$

Javob ;  $x=40$

4  $R = \frac{\sqrt{3}}{2}$   $S = \frac{\sqrt{3}}{2} \pi$

$$S = \frac{\sqrt{3}}{2} \pi = \pi R l \quad L=1 \quad h=1/2$$

16 Bilet

1  $\cos 3x * \cos x - \sin 3x * \sin x = -1/2$

$$\cos(4x) = -1/2 \quad x = \frac{\pi}{6} + \frac{\pi k}{2}$$

2  $\cos(x - \frac{\pi}{6}) > -\frac{\sqrt{2}}{2}$

$$-\pi/4 + 2\pi k < x - \frac{\pi}{6} < \frac{\pi}{4} + 2\pi k$$

$$-\frac{\pi}{12} + 2\pi k < x < 5\frac{\pi}{12} + 2\pi k$$

3  $V=2520$   $S=168$

$$V=Sh=2520 \quad h=15 \quad a(a+2)=168 \quad a=12 \quad a+2=b=14$$

4  $\int \frac{2}{(3x-2)^2} + \frac{2}{3x-2} + 3x+2 = 2/3 * (3x-2) + 2/3 \ln(3x-2) + 3x^2/2 + 2x$

5  $h=3$   $r=3*\sqrt{3}$   $R^2=(h-R)^2+r^2$   $R=6$

$$V = \frac{4}{3} \pi R^3 = \frac{4}{3} \pi 216 = 288\pi$$

17 bilet

1.  $\sin 5x \cdot \cos 2x - \cos 5x \sin 2x = -1$

$$\sin 3x = -1 \quad 3x = -\frac{\pi}{2} + 2\pi k \quad x = -\frac{\pi}{6} + 2\frac{\pi k}{3}$$

2  $\sin(3x + 3\frac{\pi}{8}) < \frac{\sqrt{3}}{2}$

$$-\pi - \frac{\pi}{3} + 2\pi < 3x + 3\frac{\pi}{8} < \frac{\pi}{3} + 2\pi k$$

$$-41\frac{\pi}{72} + 2\pi k < x < \frac{\pi}{72} + 2\pi k$$

3  $S_1 = 108$ ;  $S_2 = 75$ ;  $S_3 = 48$   $x = ?$   $h = 24$

$$(y/h)^2 = S_3/S_1 \quad Y = 24 \cdot 24 \cdot 48 / 108 = 16$$

$$(X + y/h)^2 = S_2/S_1 \quad x + y = 20 \quad x = 4$$

4  $f(x) = 2(6-5x)^{-3} + 4(6-5x)^{-1}$

$$F(x) = -1/5(6-5x)^{-2} + 2/-5(6-5x)^{-2}$$

18 Bilet

1  $\cos 2x \cdot \sin 3x + \sin 2x \cdot \cos 3x = 1/2$

$$\sin 5x = \frac{\pi}{6} + 2\pi k$$

$$x = \frac{\pi}{30} + 2\frac{\pi k}{5}$$

2  $\text{Tg}(x + \pi/6) > 1/\sqrt{3}$

$$x + \frac{\pi}{6} > \pi/6 + \pi k \quad x > \pi k$$

3  $a = R_2 \cdot \sqrt{3}$   $S_{\text{asos}} = a^2 \cdot \sin \alpha$

$$S_{\text{yon}} = S_{\text{asos}} \cdot \cos \beta = a^2 \cdot \sin \alpha \cdot \cos \beta$$

4  $f(x) = (1-7x)^{4/3} + 8/1-7x$

$$F(x) = 3/-49(1-7x)^{7/3} + 8/-7 \ln(1-7x)$$

5  $S = 60\pi$   $H = 6$

$$S(\text{yon}) = \pi R l = 60 \pi \quad R l = 60 \quad R^2 + 36 = L^2 \quad L = 60/R$$

$$R^2 + 36 = \frac{3600}{R^2} \quad R^4 + 36R^2 = 3600 \quad R^2 = T$$

$$T^2 + 36T = 3600 \quad T = \frac{-36 \pm \sqrt{15696}}{2} \quad R = \sqrt{\frac{-36 \pm \sqrt{15696}}{2}}$$

$$V = \pi R^2 H = \pi \left( \sqrt{\frac{-36 \pm \sqrt{15696}}{2}} \right)^2 * 6 = 6 * \pi * \frac{-36 \pm \sqrt{15696}}{2}$$

19 Bilet

1  $\sin x * \cos 3x + \cos x * \sin 3x = 1$

$$\sin 4x = 1 \quad x = \pi/8 + \frac{\pi k}{2}$$


2  $6 * \cos^2 x - 11 * \cos x + 4 > 0 \quad \cos x = a$

$$6 * a^2 - 11a + 4 > 0 \quad 6(a - 4/3)(a - 1/2) > 0$$

$$\cos x < -1/2 \quad -7\frac{\pi}{6} + 2\pi k < x < 5\pi/6 + 2\pi k$$

3

$$L = m \quad \cos \beta = AC$$



4  $f(x) = \cos(5x+2)$

$$F(x) = -\sin(5x+2)/5$$

5  $h=2 \quad 2\pi r = 2 \quad r = 1/\pi$

$$V = \pi R^2 h = \pi 1/\pi^2 = 2/\pi$$

20 Bilet


1  $\sqrt{\sin x} * \cos x = 0 \quad x = \pi/2 + 2\pi k; \quad x = \pi k$

2  $2 * \cos^2 x - * \cos x - 1 > 0 \quad \cos x = a$

$$2a^2 - a - 1 > 0 \quad 2(a-1)(a+1/2) > 0$$


$$\cos x < -1/2 \quad -7\frac{\pi}{6} + 2\pi k < x < 5\pi/6 + 2\pi k$$

2  $h=8 \quad D=10 \quad x=4$



$$d=3 \quad c=16/3 \quad h=8$$


$$S=(c+d)h=25/3 \cdot 8=200/3$$



4  $f(x)=\sin 6x$

$$F(x)=6 \cdot \cos 6x$$

5



$$R^2 = \left(\frac{H}{2}\right)^2 + \left(\frac{a}{2}\right)^2 \quad R = \sqrt{36 + 324} =$$

$$= \sqrt{360}$$

$$V = \frac{4}{3} \pi R^3 = \frac{4}{3} \pi = \sqrt{3600}$$

21 Bilet

1  $\sin^2 x = 1/4$

$$\frac{1 - \cos 2x}{2} = 1/4 \quad 1 - \cos 2x = 1/2$$

$$\cos 2x = 1/2$$

$$2x = \pi/3 + 2\pi k$$

$$x = \frac{\pi}{6} + \pi k$$

$$2 \quad y = \sqrt[4]{1 + \cos^2 x}$$

$$y' = \frac{1}{4} \sqrt[4]{1 + \frac{1 + \cos 2x}{2}} = \frac{1}{4} \sqrt[4]{\frac{3 + \cos 2x}{2}} = \frac{1}{4} (-\sin 2x)(3 + \cos 2x) / \sqrt{2}$$

$$3 \quad S = (\pi r^2 / 360) \cdot 60 \cdot h = \pi r^2 h / 60 = 3h \cdot \pi r^2$$

$$4 \quad f(x) = 2 \cdot (6 - 5x)^{-3} + 4 \cdot (6 - 5x)^{-1}$$

$$F(x) = 30(6 - 5x)^{-2} + 20(6 - 5x)^{-2}$$

$$5 \quad a=10 \quad b=14 \quad d=18$$

### 22-bilet

$$1. \quad 2\sin^2 x + \sin x - 1 = 0 \quad \sin x = a$$

$$2a^2 + a - 1 = 0 \quad a = -1 \quad a = 1/2$$

$$\sin x = -1 \quad x = -\pi/2 + 2\pi k$$

$$\sin x = 1/2 \quad x = \pi/6 + 2\pi k$$

$$2. \quad y = (1 + \sqrt[3]{x})^2 = 1 + 2\sqrt[3]{x} + \sqrt[3]{x^2}$$

$$y' = 2/3 \cdot x^{-2/3} + 2/3 \cdot x^{-1/3}$$

$$3. \quad a=2 \quad \alpha = 60^\circ \quad r = a/\sqrt{3} = 2/\sqrt{3} \quad h = 2 \cdot r = 4/\sqrt{3}$$

$$S = 3 \cdot 1/2 \cdot a \cdot h = 3 \cdot 1/2 \cdot 2 \cdot 4/\sqrt{3} = 4\sqrt{3}$$

$$4. \quad f(x) = (1 - 7 \cdot x)^{-4/3} + \frac{8}{1 - 7 \cdot x}$$

$$F(x) = -3/7 (1 - 7x)^{1/3} + 8 / -7 \cdot \ln(1 - 7x)$$

$$5 \quad a/b = 3/4 \quad S = 40$$

$$\sqrt{a^2 + b^2} \cdot h = 40$$

$$5bh = 400 \quad bh = 80 \quad ah = 60$$

$$S = 2ah + 2bh = 2 \cdot 80 + 2 \cdot 60 = 280$$

### 23 Bilet

$$1. \quad 2\sin^2 x = 1/3 \sin 4x + 1 = 0 \quad \sin x = a$$

$$3 - 3\cos 2x = 3 + 2 \cdot \sin 2x \cdot \cos 2x \quad 2 \cdot \sin 2x \cdot \cos 2x + 3\cos 2x = 0$$

$$\cos 2x(2\sin 2x + 3) = 0$$

$$\cos 2x = 0 \quad x = \frac{\pi}{4} + \pi k / 2$$

$$2 \quad y = \ln \sqrt{x^2 - 2x}$$

$$y' = \frac{2x-2}{x^2-2x}$$

$$3 \quad S = a^2 \sqrt{3} / 4 \quad S_{\text{yon}} = a \quad S_1 = a^2 \sqrt{3} / 4 * \cos \alpha$$

$$\text{Stola} = a^2 \sqrt{3} / 4 + a + a^2 \sqrt{3} / 4 * \cos \alpha$$

$$4 \quad f(x) = (2x-7)^3$$

$$F(x) = 1/8 (2x-7)^4$$

$$5 \quad S_{\text{yon}} = 4 * 1/2 ah = 160 \quad S_{\text{asos}} = a^2 = 50 \quad a = 5\sqrt{2}$$

$$H = 8\sqrt{2} \quad V = S_{\text{asos}} * h = 50 * 8\sqrt{2} = 400\sqrt{2}$$

24 Bilet

$$1 \quad \sin 2x + 4(\sin x + \cos x) + 4 = 0$$

$$(\sin x + \cos x)^2 - 1 + 8(\sin x + \cos x) + 8 = 0 \quad (\sin x + \cos x) = a$$

$$a^2 + 8a + 7 = 0 \quad a = -7; a = -1$$


$$(\sin x + \cos x) = -1$$

$$\sin x = -1 \quad x = -\frac{\pi}{2} + 2\pi k$$

$$\cos x = 0 \quad x = \pi k \quad k \in \mathbb{Z}$$

$$2 \quad y = \sqrt[3]{\sin^2 4x}$$

$$y' = \frac{3\sqrt[3]{1+\cos 8x}}{\sqrt[3]{2}} = (-12 \sin 8x (1+\cos 8x)^{4/3}) * 2^{2/3}$$




$$3 \quad S_{\text{asos}} = 8 \text{ m}^2 \quad S_{\text{o'q}} = 8$$

$$S_{\text{asos}} = 8 = \pi R^2 \quad R^2 = 8/\pi \quad 2 * R * H = 8 \quad R * H = 4 \quad H = \frac{2 * \sqrt{\pi}}{\sqrt{2}} = \sqrt{2\pi}$$

$$c + d = \sqrt{R^2 - X^2} = \sqrt{\frac{8-\pi}{\pi}} \quad c + d = 2 * \sqrt{\frac{8-\pi}{\pi}} \quad S = (c+d) * H = 2 * \sqrt{\frac{8-\pi}{\pi}} * \sqrt{2\pi} = 2 * \sqrt{2(8-\pi)}$$

$$4 \quad f(x) = \frac{4}{(4x-3)^3}$$

$$F(x) = \frac{1}{-2(4x-3)^2}$$



$$a=8 \quad b=10 \quad S_{\text{tola}}=620 \text{ cm}^2 \quad \alpha = 30^\circ$$

$$S_{\text{asos}}=a \cdot b \cdot \sin \alpha = 8 \cdot 10 \cdot \frac{1}{2} = 40$$

$$S_{\text{tola}}=2 \cdot S_{\text{asos}}+2 \cdot S_{\text{yon}}+2 \cdot S_{\text{yon}}=2 \cdot 40+2 \cdot 10 \cdot h+2 \cdot 8 \cdot$$

$$h=620$$

$$h=15 \text{ cm}$$

$$V=a \cdot b \cdot \sin \alpha \cdot h$$

$$V=10 \cdot 8 \cdot \frac{1}{2} \cdot 15$$

$$V=600 \text{ cm}^3$$

25-bilet

$$1 \quad \sin 2x+3=3 \sin x+3 \cos x$$

$$\sin 2x+3=3(\sin x+\cos x)$$

$$B: \sin x+\cos x=a$$

$$(\sin x+\cos x)^2-1+3=3(\sin x+\cos x)$$

$$a^2-1+3=3a$$

$$a^2-3a+2=0$$

$$(a-1) \cdot (a-2)=0$$

$$a=1 \quad a=2$$

$$\sin x+\cos x=1$$

$$\sin x+\cos x=2 \quad \emptyset$$

$$\sqrt{1-\cos^2 x} = (1-\cos x)^2$$

$$(\sqrt{1-\cos^2 x})^2 = (1-\cos x)^2$$

$$1-\cos^2 x=1-2\cos^2 x+\cos^4 x$$

$$\cos^4 x-2\cos^2 x+\cos^2 x+1-1=0$$

$$\cos^4 x-\cos^2 x=0$$

$$\cos^2 x(\cos^2 x-1)=0$$

$$1.\cos^2 x=0$$

$$2.\cos^2 x-1=0$$

$$x = \frac{\pi}{2} \gamma + \pi k \quad k \in Z$$

$$\cos^2 x=1$$

$$\frac{1+\cos 2x}{2}=1, \cos 2x=1, x=\frac{2\pi k}{2}, x=\pi k \quad k \in Z$$

$$2 \quad y=2x^4-x \quad y'=8x^3-1=(2x-1)(4x^2+2x+1)$$

$$1) 2x-1=0 \quad 2)(4x^2+2x+1)$$

$$X=1/2 \quad D<0 \quad \emptyset$$

$$3 \quad AD=4$$

$$DC=8$$

$$CC_1=6$$

$$4 \quad f(x) = \frac{7}{(cx+d)^n} \quad 2) f(x) = \frac{4}{\cos^2(4x-3)} + d$$

5. 7-biletning 5-sida takrorlangan.

26-bilet

$$1. \quad 2*\sin^2 x + \sin x = 0$$

$$\sin x(2\sin x + 1) = 0$$

$$\sin x = 0 \quad \sin x = -1/2$$

$$X = \pi k \quad x = (-1)^{k+1} \frac{\pi}{6} + \pi k$$

$$2. \quad Y = \frac{(x^3-1)^4}{(x^2+4x+7)^5}$$

$$Y' = \frac{12x^2(x^3-1)^3(x^2+4x+7)^5 - (x^3-1)^4 * 5(2x+4)(x^2+4x+7)^4}{(x^2+4x+7)^{10}}$$

$$3. \quad a = \text{asos} \quad b = \text{yon qirra} \quad R = \frac{a}{2\sqrt{3}} \quad H^2 = b^2 - R^2 \quad H = \sqrt{b^2 - \frac{a^2}{12}}$$

$$4. \quad a) \quad f(x) = \sqrt[5]{(4x-5)^3} \quad F(x) = \sqrt[5]{(4x-5)^8} * 5/32 + C$$

$$f(x) = e^{4x} + 4 \quad F(x) = 4 * e^{4x} + 4x + C$$

$$5. \quad a = \frac{6}{\sqrt{\pi}} \quad V =$$

$$H = \frac{3\sqrt{3}}{\sqrt{\pi}} \quad R = \frac{3}{\sqrt{\pi}} \quad V = 1/3 * \pi R^2 H = 1/3 * \pi * \frac{3}{\sqrt{\pi}} * \frac{3\sqrt{3}}{\sqrt{\pi}} = \frac{3\sqrt{3}}{\sqrt{\pi}}$$

27-bilet

$$1. \quad \int_{\frac{\pi}{4}}^{\pi} \cos(3x - \frac{\pi}{4}) dx = \frac{-\sin(3x - \frac{\pi}{4})}{3} = -\frac{\sqrt{2}}{6} - \frac{1}{3} = \frac{\sqrt{2}-2}{6}$$

$$2. \quad 0.1 * x^{\lg x - 4} = 100^2$$

$$(\lg x - 4)\lg x = 5 \quad \lg x = a \quad a^2 - 4a - 5 = 0$$

$$a = 5 \quad \lg x = 5 \quad x = 100000 \quad a = -1 \quad \lg x = -1 \quad x = 0.1$$

$$3. \quad V(\text{shar}) = 4/3 * \pi = 4/3 * \pi R^3 \quad R = 1 \quad H = 3$$

$$\frac{R}{1} = \frac{3}{\sqrt{3}} \quad R = \sqrt{3} \quad V(\text{konus}) = 1/3 * \pi R^2 H = 1/3 * \pi * 3 * 3 = \pi 3$$

$$4. \quad \vec{a}(1, 2, -1) \quad \text{va} \quad \vec{b}(-3; 4; 0) \quad 2 * \vec{a} + 3 \vec{b} \quad \text{va} \quad \vec{a} - 2 \vec{b} \quad \alpha = ?$$

$$\vec{a} - 2 \vec{b} = (1, 2, -1) - (-6; 8; 4) = (7; -6; -5) \quad 2 * \vec{a} = (2; 4; -2) \quad 3 \vec{b} = (-9; 12; 6) \quad 2 \vec{b} = (-6; 8; 0)$$

$$2 * \vec{a} + 3 \vec{b} = (2; 4; -2) + (-9; 12; 6) = (-7; 16; 4)$$

$$\cos \alpha = \frac{\vec{a} * \vec{b}}{|\vec{a}| * |\vec{b}|} = \frac{-7 * 7 + (-16 * (-6)) + 8 * (-5)}{\sqrt{49 + 36 + 25} * \sqrt{49 + 256 + 64}} = \frac{7}{\sqrt{110} * \sqrt{369}}$$

$$5. \quad H = 3 \quad a = 4 \quad V = ?$$

$$R = \frac{a}{2\sqrt{3}} = \frac{4}{2\sqrt{3}} \quad V = \pi R^2 H = 4/3 * 3\pi = 4\pi$$

28-bilet

$$1. \quad \int_0^2 \frac{dx}{2x-4} = 1/2(\ln x - 2) = 0$$

$$2. \quad \sin \alpha = \frac{4}{5} \quad \pi < \alpha < 1.5 \pi$$

$$\cos \alpha = 3/5$$

$$\text{tg} \alpha = \frac{4/5}{3/5} = \frac{4}{3}$$

$$3. \quad S(\text{to'la s}) = 8\sqrt{3} \quad a = \sqrt{3} \quad V = ?$$

$$S(\text{to'la s}) = 8\sqrt{3} = 3\sqrt{3}H \quad H = 8/3 \quad S(\text{asos}) = \frac{a^2\sqrt{3}}{4}$$

$$V = S(\text{asos})H = 8/3 * \frac{a^2\sqrt{3}}{4} = \frac{a^2\sqrt{3}}{6}$$

$$4. \quad S = 9 \quad 9 = 1/2 * 2R * R \quad R = 3$$

$$V = 4/3 * \pi R^3 = 4/3 * \pi * 27 = 36\pi$$

$$5. \quad 7x + 4y + 9 = 0 \quad 2x - y - 6 = 0$$

$$y = \frac{-9-7x}{4} \quad y = 2x-6$$

$$K = -7/4 \quad k = 2$$

$$\text{tg} \alpha = \left| \frac{k_2 - k_1}{1 - k_2 * k_1} \right| = \left| \frac{2 + 7/4}{1 - 3.5} \right| = 1.5$$

29-bilet

$$1. \quad \frac{\int_{-2}^2 (9-x^2) dx}{3} = 18 - \frac{8}{3} - 18 + \frac{8}{3} = \frac{92}{3}$$

$$2. \quad \lg^2 x^2 + 5 \lg x > -1.25$$

$$4 \lg^2 x + 5 \lg x + 1.25 > 0$$

$$\text{Lgx} = \frac{-5 \pm \sqrt{5}}{8}$$

$$x = 10^{\frac{-5 \pm \sqrt{5}}{8}}$$

$$3. \quad S(t) = 36t - 15t^2 \quad S' = 36 - 30t = 0 \quad t = 1.2$$

$$S = 36 * 1.2 - 15 * 1.2^2 = 21.6$$

$$\text{Javob; } t = 1.2; \quad s = 21.6$$

$$4. \quad A(3; -5)$$

$$(x - 3)^2 + (x + 5)^2 = \sqrt{34}$$

5.  $H=5$   $a=6$

$$R = \frac{a}{\sqrt[3]{3}} = \frac{6}{\sqrt[3]{3}} \quad V = \pi R^2 H = 36/3 * 3\pi = 36\pi$$

30-bilet

2.  $\int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \sin^2 x dx = \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{1}{2} - \frac{\cos 2x}{2} = (x/2 - \sin 2x/4) = (\frac{\pi}{6} - \frac{\sqrt{3}}{8}) - (-\frac{\pi}{6} + \frac{\sqrt{3}}{8}) = \frac{\pi}{3} - \frac{\sqrt{3}}{4}$

3.  $4^x + 2^{x+1} - 80 = 0$

$$2^{2x} + 2 * 2^x - 80 = 0 \quad 2^x = a$$

$$a^2 + 2a - 80 = 0 \quad D=324 \quad a_{1,2} = |_{-10}^8$$


$$2^x = 8 \quad 2^x \neq -10$$

$$x=3$$

4.  $S(t) = 37t - 15t^2 \quad S' = 37 - 30t = 0 \quad t = \frac{37}{30}$

$$S = 36 * \frac{37}{30} - 15 * (\frac{37}{30})^2 = 21.58(3)$$

5.  $L=26$   $r=8$   $8$



$$R^2 = (\frac{H}{2})^2 + (\frac{a}{2})^2 \quad R = \sqrt{576 + 324} = 30$$

$$V = \frac{4}{3} \pi R^3 = \frac{4}{3} \pi 27000 = 36000 \pi$$

6.  $\bar{a}(1,2,-1)$  va  $\bar{b}(-3;4;2)$   $2 * \bar{a} + 3 \bar{b}$  va  $\bar{a} - 2 \bar{b}$   $\alpha = ?$

$$2 * \bar{a} = (2;4;-2) \quad 3 \bar{b} = (-9;12;6)$$

$$\bar{a} - 2 \bar{b} = (1,2,-1) - (-6;8;4) = (7;-6;-5)$$

$$2 * \bar{a} + 3 \bar{b} = (-7;16;8)$$

$$\cos \alpha = \frac{\bar{a} * \bar{b}}{|\bar{a}| * |\bar{b}|} = \frac{-7*7 + (-16*(-6)) + 8*(-5)}{\sqrt{49+36+25} * \sqrt{49+256+64}} = \frac{7}{\sqrt{110} * \sqrt{369}}$$

31-bilet

1.  $\int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \cos^2 x dx = \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{1}{2} + \frac{\cos 2x}{2} = (x/2 + \sin 2x/4) = (\frac{\pi}{6} + \frac{\sqrt{3}}{8}) - (-\frac{\pi}{6} - \frac{\sqrt{3}}{8}) = \frac{\pi}{3} + \frac{\sqrt{3}}{4}$

2.  $4^x - 2 * 5^{2x} - 10^x > 0$

$$\frac{4^x - 2 * 5^{2x} - 10^x}{4^x} > 0$$

$$1 - 2 * (\frac{5}{2})^{2x} - \frac{5^x}{2} > 0 ;$$

$$\frac{5^x}{2} = a ; 1 - 2a^2 - a > 0 ; 2a^2 + a - 1 > 0 ;$$



$$2 * (a + 1)(a - \frac{1}{2}) > 0$$

$$\frac{5^x}{2} > \frac{1^x}{2} \quad x > 0 ;$$

Javob:  $x > 0$

3.  $V=27\text{m/h}$  ;  $s(t)=27t-14t^2$

$$s'(t)=27-28t=0;$$

$$t=27/28;$$

$$s(27/28)=27*(27/28)-14*(27/28)^2=1431/56$$

4.  $x+4y+9=0$   $3x-4y-6=0$   $\alpha = ?$

$$Y=-9/4 - x/4;$$

$$K_1=-1/4$$

$$Y_2=3/4x - 3/2$$

$$K_2= 3/4$$

$$\text{tg } \alpha = \left| \frac{k_2 - k_1}{1 - k_2 * k_1} \right| = \left| \frac{3/4 + 1/4}{1 - (\frac{3}{4} * \frac{1}{4})} \right| = 16/13$$


$$\alpha = \text{arctg}(16/13)$$

Javob:  $\alpha = \text{arctg}(16/13)$

5.  $a = 11$  ;  $b = 21$  ;  $c=3$

$$s=180 \text{ sm}^2$$

$$S=180 \text{ sm}^2=d*H \quad h=12 \quad d=20 \quad H=9 \text{ sm}$$



$$S_{\text{to'la}} = a*h + b*h + 2*c*h = 12*11 +$$

$$+ 21*12 + 2*3*12 = 456 \text{ sm}^2$$

### 32 Bilet


$$1 \quad \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} (1 - \sin x) dx = x + \cos x = \frac{\pi}{3} + \frac{1}{3} - (-\frac{\pi}{3} + \frac{1}{3}) = \frac{-2\pi}{3}$$

$$2 \quad \log_2 \log_3 \log_4 (x - 5) = 0$$

$$x - 5 = 64 \quad x = 69$$

3  $DB=6$   $AB=BC=8$   $AC=12$   $S=?$

$$DC=10 \quad AC=8\sqrt{2}$$



$$\frac{S}{S(\text{kesim})} = \frac{a^2}{b^2}$$

$$\frac{40}{x} = \frac{8\sqrt{2}}{5\sqrt{2}} \quad x=25 \text{ Sm}^2$$

$$4 \quad \frac{9}{x^2-9} + \frac{x^4+3x^3+9x^2}{(x+6)^2} * \left( \frac{1}{9-x^2} + \frac{9}{27-x^3} \right) = \frac{9}{x^2-9} + \frac{x^2(x^2+3x+9)}{(x+6)^2} * \left( \frac{1}{(3-x)(3+x)} + \frac{1}{(3-x)(9+3x+x^2)} \right)$$

$$= \frac{9}{x^2-9} + \frac{x^2(x^2+3x+9)}{(x+6)^2} * \frac{9+3x+x^2+18+9x}{(3-x)*(3+x)(9+3x+x^2)} = \frac{9}{x^2-9} + \frac{x^2}{(x+6)^2} * \frac{36+12x+x^2}{(3+x)(3-x)} = \frac{9}{x^2-9} + \frac{x^2}{(x+6)^2} * \frac{(x+6)^2}{9-x^2} = \frac{9}{x^2-9} - \frac{x^2}{x^2-9} = -1$$

5.

$$S=25 \text{ sm}^2$$

$$25 = \frac{1}{2} 2R * R \quad R=5$$

$$V = \frac{4}{3} \pi R^3 = \frac{4}{3} \pi 5^3 = 500 \pi / 3 \quad \text{Javob; } V=500 \pi / 3$$

33 Bilet

$$1 \quad \frac{\sin 2x}{\sin x} = 0$$

$$\sin x \neq 0 \quad x = \pi k \quad \sin 2x = 0 \quad x = \pi k / 2$$

$$2 \quad y = x^2 + 1 \quad y = x + 3 \quad S = ?$$

$$x^2 + 1 = x + 3 \quad x = -1 \quad x = 2 \quad \int_{-1}^2 (x + 3) dx = x^2/2 + 3x = 8 - 5/2 = 5.5$$

$$S = 5.5$$

$$3 \quad \frac{\log_3 125}{\log_{15} 3} \frac{\log_3 5}{\log_4 3} = 3 \log_3 5 * \log_3 15 - \log_3 5 \log_3 4 = \log_3 5 (3 * \log_3 15 -$$

$$\log_3 4) = \log_3 5 \log_3 \frac{3375}{4}$$

$$4 \quad \alpha = 60^\circ \quad a = 0.6$$

$$\sin \alpha = \frac{x}{0.6} \quad x = 0.6 * \frac{\sqrt{3}}{2} = 0.3\sqrt{3}$$

$$5 \quad H=20 \quad L=25 \quad R=15 \text{ bo'ladi}$$

$$\frac{R}{r} = \frac{L}{H} \quad r = \frac{RH}{L} = \frac{15 * 20}{25} = 12$$

34 Bilet

$$1 \quad y = \frac{4}{x} \quad x=4 \quad x=1$$

$$\int_1^4 \left(\frac{4}{x}\right) = 4 \cdot \ln x = 8 = \ln x - (0) = 8 \ln x$$

$$2 \sqrt{x^2 + 2x - 8} < 12 - x$$

$$x^2 + 2x - 8 < 144 - 24x + x^2 \quad 26x < 152$$

$$x < 152/26$$

$$3. v = 31 \text{ m/h} \quad S(x) = 31t - 14t^2$$

$$S'(x) = 31 - 28t = 0 \quad t = 31/28$$

$$S'(x) = 30 \cdot 31/28 - 14 \cdot (31/28)^2 = 149/56$$

$$4. S = 16\pi s m^2 \quad 16\pi = 2\pi R H \quad H = 2R$$

$$R = 2 \quad V = 4/3 \cdot \pi R^3 = 4/3 \cdot \pi 8 = 32\pi/3$$

$$5 \quad \bar{a}(2, 2, -4) \quad \text{va} \quad \bar{b}(-3; 4; 0) \quad 2 \cdot \bar{a} + 3 \cdot \bar{b} \quad \text{va} \quad \bar{a} - 3 \cdot \bar{b} \quad \alpha = ?$$

$$2 \cdot \bar{a} = (2; 4; -8) \quad 3 \cdot \bar{b} = (-9; 12; 0)$$

$$\bar{a} - 3 \cdot \bar{b} = (2, 2, -4) - (-9; 12; 0) = (11; -10; -4) \quad 2 \cdot \bar{a} + 3 \cdot \bar{b} = (-7; 16; 8)$$

$$\cos \alpha = \frac{\bar{a} \cdot \bar{b}}{|\bar{a}| \cdot |\bar{b}|} = \frac{-7 \cdot 11 + 16 \cdot (-10) + 8 \cdot (-4)}{\sqrt{49 + 256 + 64} \cdot \sqrt{121 + 100 + 16}} = \frac{-125}{\sqrt{369} \cdot \sqrt{237}}$$

$$\alpha = \arccos\left(\frac{-125}{\sqrt{369} \cdot \sqrt{237}}\right)$$

### 35 Bilet

$$1 \quad y = x^3 + (50 - x)^3$$

$$y' = 3 \cdot x^2 - 3(50 - x)^2 = 0 \quad x^2 - (50 - x)^2 = 0 \quad 100x - 2500 = 0 \quad x = 25$$

$$2 \quad y' = 6x^2 - 8x + 1$$

$$Y = 2 \cdot x^3 - 4x^2 + x \quad y = 2 \cdot x^3 - 4x^2 + x$$

$$Y = x(2 \cdot x^2 - 4x + 1) = 0 \quad x = 0 \quad x = \frac{4 \pm \sqrt{8}}{4}$$

$$3 \quad v = 32 \text{ km/h} \quad S(t) = 32t - 14t^2$$

$$S'(t) = 32 - 28t = 0 \quad t = 8/7$$

$$S(8/7) = 32 \cdot 8/7 - 14 \cdot (8/7)^2 = 128/7$$

4  $a(-2;-5)$

$$(x + 2)^2 + (y + 5)^2 = \sqrt{29}$$

5  $H=8$   $a=14$   $R = \frac{a}{\sqrt{3}} = \frac{14}{\sqrt{3}}$

$$V = \pi R^2 H = \pi \frac{14}{3} 8 = \frac{112}{3} \pi$$

36 Bilet

1  $3 \cdot \sin^2 x + \sin^2 2x = 1$   $1/\sin^2 x$

$$3 + 4 \cdot \operatorname{cgt}^2 x = 1 + \operatorname{cgt}^2 x$$

$$3 \cdot \operatorname{cgt}^2 x - 2 = 0 \quad \operatorname{cgt}^2 x = \frac{1 + \cos 2x}{1 - \cos 2x} = \frac{2}{3} \quad 5 \cos 2x = -1$$

$$x = \arccos(-1/5)/2 + \pi k$$


2  $y = 2 - x^2$   $y = -x$

$$\int_2^{-1} (2 - x^2) dx = 2x - \frac{x^3}{3} = -2 + 1/3 - (4/3) = -3$$

$$3 \int_{-\pi/4}^{\pi/4} \cos^2 x dx = \int_{-\pi/4}^{\pi/4} \frac{1}{2} + \frac{\cos 2x}{2} dx = (x/2 + \sin 2x/4) = \frac{\pi}{8} - 1/4 + \frac{\pi}{8} - \frac{1}{4} =$$

$$\frac{\pi}{4} - \frac{1}{2}$$

4  $H; M$



$$M = 1/2 a \cdot h \quad h = 2M/a$$

$$\cos a = \frac{a \cdot a}{2 \cdot 2M} = \frac{a^2}{4M} \quad \operatorname{tga} = \frac{2 \cdot H}{a}$$

$$1 + \frac{4 \cdot H^2}{a^2} = \frac{16 \cdot M^2}{a^4} \quad \frac{a^4 + 4 \cdot (aH)^2 - 16 \cdot M^2}{a^4} = 0 \quad a^2 = t$$

$$t = \frac{-4 \pm \sqrt{(16H^2 - 64M^2)}}{2}$$

$$a = \sqrt{\frac{-4 \pm \sqrt{(16H^2 - 64M^2)}}{2}} \quad S = a^2 = \frac{-4 \pm \sqrt{(16H^2 - 64M^2)}}{2}$$

5  $S = 16$   $V = ?$   $16 = 1/2 \cdot 2R \cdot R$   $R = 4$

$$V = 4/3 \pi R^3 = 256/3 \pi$$

37 BILET

1  $F(x) = x^2 + 2x + 3$   $x_0 = 1$

$$Y = f(x) + f'(x)(x - x_0) \quad f'(x) = 2x + 2$$

$$Y = 6 + 4(1 - x) = 10 - 4x$$

$$2 \lg 3 = a \quad \lg 2 = b \quad \log_5 6 = \frac{\lg 6}{\lg 5} = \frac{a+b}{1-b}$$

$$3 \quad S(t) = 34t - 14t^2 \quad v = 34 \text{ m/h}$$

$$S'(t) = 34 - 28t = 0 \quad t = 17/14$$

$$S(t) = 34 * 17/14 - 14 * (17/14)^2 = 289/14 \text{ m}$$

$$4 \quad S = Q \quad Q = 4 * R^2 \quad R^2 = Q/4$$

$$\text{Sasos} = \pi R^2 = \pi Q/4$$

$$5 \quad a = m \quad V = ?$$

$$V = \frac{a^2 * \sqrt{2}}{12} = \frac{m^2 * \sqrt{2}}{12}$$

38 Bilet

$$1 \quad \int_{\frac{\pi}{4}}^{\frac{\pi}{2}} \sin 2x \sin 4x = \int_{\frac{\pi}{4}}^{\frac{\pi}{2}} 2 * \sin^2 2x \cos 2x = 2 \int_{\frac{\pi}{4}}^{\frac{\pi}{2}} (1 - \cos^2 2x) \cos 2x = \int_{\frac{\pi}{4}}^{\frac{\pi}{2}} (\cos 2x - \cos^3 2x) = \int_{\frac{\pi}{4}}^{\frac{\pi}{2}} \cos 2x - \int_{\frac{\pi}{4}}^{\frac{\pi}{2}} \cos^3 2x =$$

$$= \left( \frac{\sin 2x}{2} - \frac{3}{8} * \frac{\sin 2x}{4} + \frac{1}{4} \frac{\cos 6x}{1} \right) = 1/8 - (1/2 - 3/32) = -9/32$$

$$2. \quad \begin{cases} \log_3(x - y) = 1 \\ 10 * 28^{-y} - 5^{x-1} = 125 \end{cases}$$

**Berilgan ma'lumotlarda kamchilik mavjud!!!!**

$$3 \quad v = 35 \text{ km/h} \quad S(t) = 35t - 14t^2$$

$$S'(t) = 35 - 28t = 0 \quad t = 5/4$$

$$S(5/4) = 35 * 5/4 - 14 * (5/4)^2 = 18.125$$

4.

$$\tan \alpha = \frac{H}{R-r} \quad H = \tan \alpha * (R-r)$$

$$V = \frac{H}{3} \pi (R^2 + r * R + r^2) = \frac{\tan \alpha * (R-r)}{3} * (R^2 + r * R + r^2)$$

$$5. \quad |\bar{a}| = 4 \quad |b| = 7 \quad \alpha = 60^\circ$$

$$|2a-3b|=? \quad \vec{a}\vec{b} = |\vec{a}| \cdot |\vec{b}| \cdot \cos \alpha = 4 \cdot 7 \cdot 1/2 = 14$$

$$|2a-3b|=4^2 \cdot a^2 - 12ab + 9b^2 = 4^2 \cdot 4 - 4 \cdot 12 + 9 \cdot 7 = 31$$

39-bilet

1.  $2\cos^2 2x + 3\cos^2 2x = 2$

$$5\cos^2 2x = 2$$

$$\cos^2 2x = 2/5 \quad \frac{1+\cos 4x}{2} = 2/5 \quad \cos 4x = -1/5$$

$$x = \pm \arccos(-1/5) \cdot 1/4 + 2\pi k$$

2.  $f(x) = 1 + 2x^2 - x^4$   
 $f'(x) = 4x - 4x^3 = 0 \quad x=0 \quad x=1 \quad x=-1$

3  $v = 36 \text{ km/h} \quad S(t) = 36t - 14t^2$

$$S'(t) = 36 - 28t = 0 \quad t = 9/7$$

$$S(9/7) = 36 \cdot 9/7 - 14 \cdot (9/7)^2 = 162/7$$

4.  $N=4 \quad k=10$  ta

$$T = \frac{10!}{(10-4)! \cdot 4!} = 210$$

5.  $L=5 \quad H=3 \quad V(\text{ichki.ch.shar})=?$

$$\frac{L}{H-r} = \frac{R}{r} \quad \frac{5}{3-r} = \frac{4}{r} \quad r = 4/3$$
$$V = 4/3 \cdot \pi r^3 = 4/3 \cdot \pi (4/3)^3 = 64 \cdot \pi / 27$$

40-bilet

1.  $Y=x \quad y=x^2-2$

$$X = x^2 - 2$$

$$X=2 \quad x=-1$$

$$\int_{-1}^2 (x - x^2 + 2) dx = \frac{x^2}{2} - \frac{x^3}{3} + 2x = (2 - 8/3 + 4) - (1/2 + 1/3 - 2) = 4.5$$

2.  $\sqrt{3}\sin x + \cos x = 2 \quad / 2 \quad \text{bo'lamiz}$

$$\sqrt{3}\sin x/2 + \cos x/2 = 1 \quad \cos(60-x) = 1 \quad 60-x = 2\pi k, \quad x = 60 - 2\pi k$$

3  $v = 37 \text{ km/h} \quad S(t) = 37t - 14t^2$

$$S'(t) = 37 - 28t = 0 \quad t = 37/28$$

$$S(37/28) = 37 \cdot 37/28 - 14 \cdot (37/28)^2 = 1369/56$$

4-misol

$$S=512 \quad H=16 \quad S_1=50$$
$$\frac{S}{S_1} = \frac{H}{H-x} \quad \frac{512}{50} = \frac{16}{16-x} \quad x=231/25$$

5.

$$L=39 \quad R=12$$

Berilgan masalada kesik konusga tashqi chizilgan konus konusning Aynan o'ziga teng bo'ladi.

5-masalda xatolik mavjud.

@uzimtihon

@uzimtihon